

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**

|           | <b>L #</b> | <b>Hits</b>  | <b>Search Text</b>  | <b>DBs</b>                                |
|-----------|------------|--------------|---|---|
| <b>1</b>  | <b>L1</b>  | <b>731</b>   | <b>network near6 (node or device or element) near5 (notification or alarm or event) near5 (generat\$3 or send\$3)</b> | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>2</b>  | <b>L2</b>  | <b>11112</b> | <b>(notification or alarm or event) near5 (group\$3 or categor\$3)</b>  | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>3</b>  | <b>L3</b>  | <b>128</b>   | <b>1 and 2</b>  | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>4</b>  | <b>L4</b>  | <b>93</b>    | <b>3 and (map or topology or topography or topographical)</b>   | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>5</b>  | <b>L5</b>  | <b>24</b>    | <b>4 and 709/223-224.ccls.</b>  | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>6</b>  | <b>L6</b>  | <b>18</b>    | <b>5 and (@ad&lt;20010604 or @prad&lt;20010604)</b>   | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>7</b>  | <b>L7</b>  | <b>3849</b>  | <b>network near6 (node or device or element) near5 (notification or alarm or event)</b>                               | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>8</b>  | <b>L8</b>  | <b>43121</b> | <b>network.ti,ab. and (monitor\$3 or manag\$5).ti,ab.</b>   | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>9</b>  | <b>L9</b>  | <b>191</b>   | <b>2 and 7 and 8</b>  | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>10</b> | <b>L10</b> | <b>141</b>   | <b>9 and (map or topology or topography or topographical or graph)</b>  | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>11</b> | <b>L11</b> | <b>96</b>    | <b>10 and (@ad&lt;20010604 or @prad&lt;20010604)</b>  | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>12</b> | <b>L12</b> | <b>84</b>    | <b>11 not 6</b>   | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>13</b> | <b>L13</b> | <b>24</b>    | <b>11 and 709/223-224.ccls.</b>   | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>14</b> | <b>L14</b> | <b>12</b>    | <b>13 not 6</b>   | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>15</b> | <b>L15</b> | <b>59</b>    | <b>(notification or alarm or event) near5 (group\$3 or categor\$3) with (network near4 (manag\$5 or monitor\$4))</b>  | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |

|    | <b>L #</b> | <b>Hits</b> | <b>Search Text</b>   | <b>DBs</b>                         |
|----|------------|-------------|--|------------------------------------|
| 16 | L17        | 35          | 15 and (map or topology or topography or topographical or graph)   | USPAT; US-PGPUB; EPO; JPO; IBM_TDB |
| 17 | L18        | 24          | 17 and (@ad<20010604 or @prad<20010604)  | USPAT; US-PGPUB; EPO; JPO; IBM_TDB |
| 18 | L16        | 6           | ((notification or alarm or event) near5 (group\$3 or categor\$3) with (network near4 (manag\$5 or monitor\$4))).ti,ab. | USPAT; US-PGPUB; EPO; JPO; IBM_TDB |
| 19 | L19        | 1033        | receiv\$3 near3 (alarm or notification or event) with (categor\$4 or group\$3)   | USPAT; US-PGPUB; EPO; JPO; IBM_TDB |
| 20 | L20        | 5642        | 709/223-224.ccls.  | USPAT; US-PGPUB; EPO; JPO; IBM_TDB |
| 21 | L21        | 174         | 19 and (8 or 20)   | USPAT; US-PGPUB; EPO; JPO; IBM_TDB |
| 22 | L22        | 32          | 21 and 10  | USPAT; US-PGPUB; EPO; JPO; IBM_TDB |
| 23 | L23        | 24          | 22 and (@ad<20010604 or @prad<20010604)  | USPAT; US-PGPUB; EPO; JPO; IBM_TDB |
| 24 | L24        | 604         | stor\$3 near3 (alarm or notification or event) with (categor\$4 or group\$3)   | USPAT; US-PGPUB; EPO; JPO; IBM_TDB |
| 25 | L25        | 69          | 24 and (8 or 20)   | USPAT; US-PGPUB; EPO; JPO; IBM_TDB |
| 26 | L26        | 13          | 25 and 10  | USPAT; US-PGPUB; EPO; JPO; IBM_TDB |
| 27 | L27        | 18          | edelman.xa. and 709/223,224.ccls.  | USPAT; US-PGPUB; EPO; JPO; IBM_TDB |
| 28 | L28        | 50          | 25 and (@ad<20010604 or @prad<20010604)  | USPAT; US-PGPUB; EPO; JPO; IBM_TDB |
| 29 | L29        | 32          | 28 not 23 not 26 not 18 not 19   | USPAT; US-PGPUB; EPO; JPO; IBM_TDB |

|           | <b>L #</b> | <b>Hits</b>  | <b>Search Text</b>  | <b>DBs</b>                                |
|-----------|------------|--------------|---|---|
| <b>1</b>  | <b>L1</b>  | <b>57375</b> | <b>709/223,224.ccls. or network near4 (manag\$ or monitor\$)</b>  | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>2</b>  | <b>L2</b>  | <b>582</b>   | <b>1 and orb</b>  | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>3</b>  | <b>L3</b>  | <b>38</b>    | <b>2 and probable adj cause</b>   | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>4</b>  | <b>L4</b>  | <b>6</b>     | <b>3 and (@ad&lt;20010604 or @prad&lt;20010604)</b>   | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>5</b>  | <b>L5</b>  | <b>3891</b>  | <b>(predefined or prespecified or pre-defined or pre-specified or pre-established) near4 (group\$3 or category or categorization)</b> | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>6</b>  | <b>L6</b>  | <b>684</b>   | <b>1 and 5</b>  | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>7</b>  | <b>L7</b>  | <b>580</b>   | <b>5 with (receive or receiving or place or placed or placing or received or store or stored or storing)</b>                          | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>8</b>  | <b>L8</b>  | <b>531</b>   | <b>6 and (alarm or event or notification)</b>   | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>9</b>  | <b>L9</b>  | <b>302</b>   | <b>7 and (alarm or event or notification)</b>   | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>10</b> | <b>L10</b> | <b>42</b>    | <b>8 and 9 and (@ad&lt;20010604 or @prad&lt;20010604)</b>   | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>11</b> | <b>L11</b> | <b>353</b>   | <b>8 and (graph or topology or topography or map)</b>   | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>12</b> | <b>L12</b> | <b>136</b>   | <b>9 and (graph or topology or topography or map)</b>   | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>13</b> | <b>L13</b> | <b>20</b>    | <b>10 and (graph or topology or topography or map)</b>  | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>14</b> | <b>L14</b> | <b>0</b>     | <b>09/675,657</b>   | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>15</b> | <b>L15</b> | <b>1</b>     | <b>6311282.pn.</b>  | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |

|           | <b>L #</b> | <b>Hits</b> | <b>Search Text</b>  | <b>DBs</b>                                |
|-----------|------------|-------------|---|---|
| <b>16</b> | <b>L16</b> | <b>451</b>  | <b>stor\$3 near5 (alert or event or notification) near4 (group\$3 or categor\$7)</b>  | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>17</b> | <b>L17</b> | <b>105</b>  | <b>1 and 16</b>   | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>18</b> | <b>L18</b> | <b>41</b>   | <b>17 and (@ad&lt;20010604 or @prad&lt;20010604)</b>  | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>19</b> | <b>L19</b> | <b>61</b>   | <b>709/223,224.ccls. and 707/102,104,101.ccls.</b>  | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>20</b> | <b>L20</b> | <b>57</b>   | <b>19 and (@ad&lt;20010604 or @prad&lt;20010604)</b>  | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>21</b> | <b>L21</b> | <b>613</b>  | <b>populat\$3 near6 database and (709/223,224.ccls. or network near2 (manage\$4 or monitor\$3))</b>                                       | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>22</b> | <b>L22</b> | <b>74</b>   | <b>populat\$3 near6 database same (notification or alert or event) and (709/223,224.ccls. or network near2 (manage\$4 or monitor\$3))</b> | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>23</b> | <b>L23</b> | <b>25</b>   | <b>22 and (@ad&lt;20010604 or @prad&lt;20010604)</b>  | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>24</b> | <b>L24</b> | <b>1</b>    | <b>6445774.pn. and (number or numeral or integer)</b>   | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>25</b> | <b>L25</b> | <b>1</b>    | <b>6445774.pn. and (number or numeral or integer or numerical)</b>  | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |
| <b>26</b> | <b>L26</b> | <b>1</b>    | <b>6445774.pn. and (cause or remed\$3 or problem)</b>   | <b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b> |

**Edelman, Bradley**

---

ProQuest Search:

"hp openview" and topography and (notification or event or alarm) w/6 group\*

"hp openview" and (notification or event or alarm) w/6 group\*